

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Lakewood Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	19	16	0	0	19	16
AIDS-CD4 Only	#	#	#	#	38	31
HIV Only	#	#	#	#	65	53
-----	-----	---	-----	---	-----	---
Total	121	100	#	#	122	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	39	32	0	0	39	32
5-12	#	#	Black, Not Hispanic	#	#	#	#	49	40
13-19	#	#	Hispanic	32	26	0	0	32	26
20-29	#	#	Other/Unknown	#	#	#	#	#	#
30-39	19	16	-----	-----	---	-----	---	-----	---
40-49	58	48	Total	121	100	#	#	122	100
50+	38	31							
Unk.	0	0							
-----	-----	---							
Total	122	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	23	27	0	0	23	19
Injection drug user (IDU)	23	27	10	28	33	28
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	24	29	6	17	30	25
-----	-----	---	-----	---	-----	---
Total	84	100	36	100	120	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Lakewood Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	#	(#)	46	(24)
Other OI w/o PCP	#	(#)	#	(#)	#	(#)	#	(#)
KS Alone	#	(#)	#	(#)	#	(#)	#	(#)
No Disease Listed	80	(42)	42	(53)	0	(0)	80	(41)
Total	190	(100)	134	(71)	#	(#)	194	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	62	32
5-12	#	#	Black, Not Hispanic	#	#	#	#	91	47
13-19	0	0	Hispanic	40	21	0	0	40	21
20-29	18	9	Other/Unknown	#	#	0	0	#	#
30-39	80	41	-----	-----	-----	-----	-----	-----	-----
40-49	65	34	Total	190	100	#	#	194	100
Over 49	27	14							
Unknown	0	0							
Total	194	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	41	30	0	0	41	22
Injection drug user (IDU)	59	43	29	54	88	46
MSM/IDU	6	4	0	0	6	3
Heterosexual contact	7	5	20	37	27	14
Risk not reported/other***	23	17	5	9	28	15
Total	136	100	54	100	190	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	#	#	0	0	#	#
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Lakewood Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	6	6	100%
1988	9	9	100%
1989	11	10	91%
1990	13	11	85%
1991	7	5	71%
1992	16	14	88%
1993	30	28	93%
1994	19	13	68%
1995	20	14	70%
1996	10	#	#
1997	5	#	#
1998	5	#	#
1999	5	#	#
2000	9	5	56%
2001	8	#	#
2002	9	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	194	137	71%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Lakewood Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	#	#	#	#	25	30
5-12	0	0	Black, Not Hispanic	#	#	#	#	37	45
13-19	#	#	Hispanic	20	24	0	0	20	24
20-29	13	15	Other/Unknown	#	#	#	#	#	#
30-39	30	36	-----	-----	---	-----	---	-----	---
40-49	29	35	Total	83	100	#	#	84	100
Over 49	9	11							
Unknown	0	0							
-----	-----	---							
Total	84	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	10	18	0	0	10	12
Injection drug user (IDU)	20	36	10	36	30	36
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	16	29	6	21	22	27
-----	-----	---	-----	---	-----	---
Total	55	100	28	100	83	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having
been HIV-infected as children. They are counted as adult/adolescent
reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of
coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated
to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS
that have subsequently been updated to AIDS. Also not included in these tables are
HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed
HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been
found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Lakewood Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	114	41
AIDS-CD4 Only	80	29	0	0	80	29
HIV Only	#	#	#	#	84	30
-----	-----	---	-----	---	-----	---
Total	273	100	5	100	278	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
-----	-----	---	-----	Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	87	31
5-12	#	#	Black, Not Hispanic	#	#	#	#	128	46
13-19	#	#	Hispanic	60	22	0	0	60	22
20-29	35	13	Other/Unknown	#	#	#	#	#	#
30-39	117	42	-----	-----	---	-----	---	-----	---
40-49	86	31	Total	273	100	5	100	278	100
Over 49	32	12							
Unknown	0	0							
-----	-----	---							
Total	278	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	51	27	0	0	51	19
Injection drug user (IDU)	79	41	39	48	118	43
MSM/IDU	8	4	0	0	8	3
Heterosexual contact	14	7	32	39	46	17
Risk not reported/other***	39	20	11	13	50	18
-----	-----	---	-----	---	-----	---
Total	191	100	82	100	273	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	#	#	0	0	#	#
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Lakewood Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	#	#	#
1986	8	6	75%
1987	8	8	100%
1988	16	15	94%
1989	14	11	79%
1990	17	12	71%
1991	18	13	72%
1992	31	25	81%
1993	31	23	74%
1994	22	9	41%
1995	21	11	52%
1996	16	#	#
1997	8	#	#
1998	13	#	#
1999	11	#	#
2000	14	#	#
2001	7	#	#
2002	7	0	0%
2003	11	#	#
2004	#	#	#
-----	-----	-----	-----
Total	278	156	56%